## IN THE CLAIMS

Please amend the claims as follows:

- 1. (Currently Amended) A composition comprising:
- (i) at least one structuring polymer having a weight-average molecular weight of from 500 to 500,000 and comprising at least one moiety comprising:
- at least one polyorganosiloxane group, comprising from 1 to 1,000 organosiloxane units in the chain of the moiety or in the form of a graft, and
- at least two groups, which may be the same or different, selected from the group consisting of ester, amide, sulphonamide, carbamate, thiocarbamate, urea, urethane, thiourea, oxamido, guanamido and biguanidino groups, and combinations thereof,

the structuring polymer being solid at 25°C;

- (ii) at least one oil selected from the group consisting of hydrocarbon-based liquid oils and silicone oils; and
- (iii) silicone elastomer particles comprising a silicone rubber core coated with silicone resin.
- 2. (Currently Amended) Composition according to Claim 1, in which the structuring polymer comprises at least one moiety corresponding to the formula (I):


in which:

- 1) R<sup>1</sup>, R<sup>2</sup>, R<sup>3</sup> and R<sup>4</sup>, which may be identical or different, represent a group chosen from:
- linear, branched or cyclic, saturated or unsaturated,  $C_1$  to  $C_{40}$  hydrocarbon-based groups, possibly containing in their chain one or more oxygen, sulphur and/or nitrogen atoms, and possibly optionally being partially or totally substituted with fluorine atoms,

- $C_6$  to  $C_{10}$  aryl groups, optionally substituted with one or more  $C_1$  to  $C_4$  alkyl groups,
- polyorganosiloxane chains possibly containing one or more oxygen, sulphur and/or nitrogen atoms;
- 2) the groups X, which may be identical or different, represent a linear or branched C<sub>1</sub> to C<sub>30</sub> alkylenediyl group, possibly optionally containing in its chain one or more oxygen and/or nitrogen atoms;
- 3) Y is a saturated or unsaturated, C<sub>1</sub> to C<sub>50</sub> linear or branched divalent alkylene, arylene, cycloalkylene, alkylarylene or arylalkylene group, possibly optionally comprising one or more oxygen, sulphur and/or nitrogen atoms, and/or optionally bearing as substituent one of the following atoms or groups of atoms:

fluorine, hydroxyl,  $C_3$  to  $C_8$  cycloalkyl,  $C_1$  to  $C_{40}$  alkyl,  $C_5$  to  $C_{10}$  aryl, phenyl optionally substituted with 1 to 3  $C_1$  to  $C_3$  alkyl groups,  $C_1$  to  $C_3$  hydroxyalkyl and  $C_1$  to  $C_6$  aminoalkyl, or

4) Y represents a group corresponding to the formula:



in which

- T represents a linear or branched, saturated or unsaturated, C<sub>3</sub> to C<sub>24</sub> trivalent or tetravalent hydrocarbon-based group optionally substituted with a polyorganosiloxane chain, and possibly optionally containing one or more atoms chosen from O, N and S, or T represents a trivalent atom chosen from N, P and Al, and
- R<sup>5</sup> represents a linear or branched C<sub>1</sub> to C<sub>50</sub> alkyl group or a polyorganosiloxane chain, possibly optionally comprising one or more ester, amide, urethane, thiocarbamate, urea, urethane, thiourea and/or sulphonamide groups, which may possibly optionally be linked to another chain of the polymer;
- 5) The groups G, which may be identical or different, represent divalent groups chosen from:


Application No. 10/617,048
Reply to Office Action of July 13, 2005

in which  $R^6$  represents a hydrogen atom or a linear or branched  $C_1$  to  $C_{20}$  alkyl group, on condition that at least 50% of the groups  $R^6$  of the polymer represents a hydrogen atom and that at least two of the groups G of the polymer are a group other than:

- 6) n is an integer ranging from 2 to 500 and preferably from 2 to 200, and m is an integer ranging from 1 to 1,000 1 000, preferably from 1 to 700 and better still from 6 to 200.
- 3. (Currently Amended) Composition according to Claim 2, in which Y represents a group selected from the group consisting of:
  - a) linear C<sub>1</sub> to C<sub>20</sub> and preferably C<sub>1</sub> to C<sub>10</sub>-alkylene groups,
- b)  $C_{30}$  to  $C_{56}$   $C_{50}$  branched alkylene groups possibly comprising rings and unconjugated unsaturations,
  - c) C<sub>5</sub>-C<sub>6</sub> cycloalkylene groups,
  - d) phenylene groups optionally substituted with one or more  $C_1$  to  $C_{40}$  alkyl groups,

Application No. 10/617,048
Reply to Office Action of July 13, 2005

- e) C<sub>1</sub> to C<sub>20</sub> alkylene groups comprising from 1 to 5 amide groups,
- f)  $C_1$  to  $C_{20}$  alkylene groups comprising one or more substituents chosen from hydroxyl,  $C_3$  to  $C_8$  cycloalkane,  $C_1$  to  $C_3$  hydroxyalkyl and  $C_1$  to  $C_6$  alkylamine groups,
  - g) polyorganosiloxane chains of formula:



in which R<sup>1</sup>, R<sup>2</sup>, R<sup>3</sup>, R<sup>4</sup>, T and m are as defined above,

h) polyorganosiloxane chains of formula:

in which R<sup>1</sup>, R<sup>2</sup>, R<sup>3</sup>, R<sup>4</sup>, T and m are as defined above.

4. (Currently Amended) Composition according to Claim 2 Claim 1, in which the structuring polymer comprises at least one moiety corresponding to formula (II):

$$\begin{bmatrix}
R^{1} \\
Si \\
R^{3}
\end{bmatrix}$$

$$\begin{bmatrix}
R^{8} \\
Si \\
R^{7}
\end{bmatrix}$$

$$\begin{bmatrix}
R^{8} \\
R^{7}
\end{bmatrix}$$

$$\begin{bmatrix}
M_{1} \\
M_{2}
\end{bmatrix}$$
(II)

in which

- R<sup>1</sup> and R<sup>3</sup>, which may be identical or different, are as defined above for formula (I) which may be identical or different, represent a group chosen from:

linear, branched or cyclic, saturated or unsaturated, C<sub>1</sub> to C<sub>40</sub> hydrocarbon-based groups, possibly containing in their chain one or more oxygen, sulphur and/or nitrogen atoms, and possibly optionally being partially or totally substituted with fluorine atoms,
 C<sub>6</sub> to C<sub>10</sub> aryl groups, optionally substituted with one or more C<sub>1</sub> to C<sub>4</sub> alkyl groups,

- polyorganosiloxane chains possibly containing one or more oxygen, sulphur and/or nitrogen atoms;

- R<sup>7</sup> represents a group as defined above for R<sup>1</sup> and R<sup>3</sup>, or represents a group of formula -X-G-R<sup>9</sup> in which X <u>represents a linear or branched C<sub>1</sub> to C<sub>30</sub> alkylenediyl group, optionally containing in its chain one or more oxygen and/or nitrogen atoms and G represents divalent groups chosen from:</u>

$$\begin{array}{c} - C \\ - C$$

in which  $R^6$  represents a hydrogen atom or a linear or branched  $C_1$  to  $C_{20}$  alkyl group, on condition that at least 50% of the groups  $R^6$  of the polymer represents a hydrogen atom and that at least two of the groups G of the polymer are a group other than:

are as defined above for formula (I), and  $R^9$  represents a hydrogen atom or a linear, branched or cyclic, saturated or unsaturated,  $C_1$  to  $C_{50}$  hydrocarbon-based group optionally comprising in its chain one or more atoms chosen from O, S and N, optionally substituted with one or more fluorine atoms and/or one or more hydroxyl groups, or a phenyl group optionally substituted with one or more  $C_1$  to  $C_4$  alkyl groups,

- R<sup>8</sup> represents a group of formula -X-G-R<sup>9</sup> in which X, G and R<sup>9</sup> are as defined above,
  - m<sub>1</sub> is an integer ranging from 1 to 998, and
  - m<sub>2</sub> is an integer ranging from 2 to 500.
- 5. (Currently Amended) Composition according to Claim 1 Claim 2, in which the polymer comprises at least one moiety of formula (III) or (IV):

or


in which R<sup>1</sup>, R<sup>2</sup>, R<sup>3</sup>, and R<sup>4</sup>may be identical or different, represent a group chosen from:

- linear, branched or cyclic, saturated or unsaturated, C <sub>1</sub> to C <sub>40</sub> hydrocarbon-
based groups, possibly containing in their chain one or more oxygen, sulphur and/or nitrogen
atoms, and optionally being partially or totally substituted with fluorine atoms,
<ul> <li>C<sub>6</sub> to C<sub>10</sub> aryl groups, optionally substituted with one or more C<sub>1</sub> to C<sub>4</sub> alkyl</li> </ul>
groups.
- polyorganosiloxane chains possibly containing one or more oxygen, sulphur
and/or nitrogen atoms;

- 2) the groups X, which may be identical or different, represent a linear or branched C<sub>1</sub> to C<sub>30</sub> alkylenediyl group, possibly optionally containing in its chain one or more oxygen and/or nitrogen atoms;
- 3) Y is a saturated or unsaturated,  $C_1$  to  $C_{50}$  linear or branched divalent alkylene, arylene, cycloalkylene, alkylarylene or arylalkylene group, possibly optionally comprising one or more oxygen, sulphur and/or nitrogen atoms, and/or optionally bearing as substituent one of the following atoms or groups of atoms:

fluorine, hydroxyl,  $C_3$  to  $C_8$  cycloalkyl,  $C_1$  to  $C_{40}$  alkyl,  $C_5$  to  $C_{10}$  aryl, phenyl optionally substituted with 1 to 3  $C_1$  to  $C_3$  alkyl groups,  $C_1$  to  $C_3$  hydroxyalkyl and  $C_1$  to  $C_6$  aminoalkyl, or

4) Y represents a group corresponding to the formula:



in which

- T represents a linear or branched, saturated or unsaturated, C<sub>3</sub> to C<sub>24</sub>

trivalent or tetravalent hydrocarbon-based group optionally substituted with a

polyorganosiloxane chain, and possibly optionally containing one or more atoms chosen from

O, N and S, or T represents a trivalent atom chosen from N, P and Al, and

- R<sup>5</sup> represents a linear or branched C<sub>1</sub> to C<sub>50</sub> alkyl group or a polyorganosiloxane chain, optionally comprising one or more ester, amide, urethane, thiocarbamate, urea, urethane, thiourea and/or sulphonamide groups, which may possibly optionally be linked to another chain of the polymer;

n is an integer ranging from 2 to 500; and m is an integer ranging from 1 to 1,000X, Y, m and n are as defined in Claim 2.

- 6. (Withdrawn) Composition according to Claim 2, in which X and/or Y represent an alkylene group containing in its alkylene portion at least one of the following elements:
  - 1°) 1 to 5 amide, urea or carbamate groups,
  - 2°) a C<sub>5</sub> or C<sub>6</sub> cycloalkyl group, and
- 3°) a phenylene group optionally substituted with 1 to 3 identical or different C<sub>1</sub> to C<sub>3</sub> alkyl groups, and/or substituted with at least one element chosen from the group consisting of:
  - a hydroxyl group,
  - a C<sub>3</sub> to C<sub>8</sub> cycloalkyl group,
  - one to three C<sub>1</sub> to C<sub>40</sub> alkyl groups,
  - a phenyl group optionally substituted with one to three C<sub>1</sub> to C<sub>3</sub> alkyl groups,
  - a C<sub>1</sub> to C<sub>3</sub> hydroxyalkyl group, and
  - a C<sub>1</sub> to C<sub>6</sub> aminoalkyl group.
  - 7. (Withdrawn) Composition according to Claim 2, in which Y represents:

in which R<sup>5</sup> represents a polyorganosiloxane chain and T represents a group of formula:

in which a, b and c are, independently, integers ranging from 1 to 10, and  $R^{10}$  is a hydrogen atom or a group such as those defined for  $R^1$ ,  $R^2$ ,  $R^3$  and  $R^4$ , in Claim 2.

8. (Currently Amended) Composition according to Claim 2, in which  $R^1$ ,  $R^2$ ,  $R^3$  and  $R^4$  represent, independently, a linear or branched  $C_1$  to  $C_{40}$  alkyl group, preferably a  $C_{13}$ ,  $C_{2}H_{5}$ ,  $R^3$  and  $C_{2}H_{5}$ ,  $R^4$  represent, independently, a linear or branched  $C_1$  to  $C_{40}$  alkyl group, preferably a  $C_{13}$ ,  $C_{2}H_{5}$ ,  $R^3$  and  $R^4$  represent, independently, a linear or branched  $C_1$  to  $C_{40}$  alkyl group, preferably a  $C_{13}$  and  $C_{2}H_{5}$ ,  $R^3$  and  $R^4$  represent, independently, a linear or branched  $C_1$  to  $C_{40}$  alkyl group, preferably a  $C_{13}$  and  $C_{2}$  alkyl group, a polyorganosiloxane chain or a phenyl group optionally substituted with one to three methyl or ethyl groups.

Application No. 10/617,048

Reply to Office Action of July 13, 2005

9. (Withdrawn) Composition according to Claim 2, in which the structuring polymer comprises at least one moiety of formula:

in which  $X^1$  and  $X^2$ , which may be identical or different, have the meaning given for X in Claim 2, n, Y and T are as defined in Claim 2,  $R^{11}$  to  $R^{18}$  are groups chosen from the same group as  $R^1$  to  $R^4$  of Claim 2,  $m_1$  and  $m_2$  are numbers in the range from 1 to 1,000, and p is an integer ranging from 2 to 500.

- 10. (Withdrawn-Currently Amended) Composition according to Claim 9, in which:
  - p is in the range from 1 to 25 and better still from 1 to 7,
  - R<sup>11</sup> to R<sup>18</sup> are methyl groups,
  - T corresponds to one of the following formulae:

in which  $R^{19}$  is a hydrogen atom or a group chosen from the groups defined for  $R^1$  to  $R^4$ , and  $R^{20}$ ,  $R^{21}$  and  $R^{22}$  are, independently, linear or branched alkylene groups, and more preferably corresponds to the formula:

• Application No. 10/617,048 Reply to Office Action of July 13, 2005

in particular with R<sup>20</sup>, R<sup>21</sup> and R<sup>22</sup> representing -CH<sub>2</sub>-CH<sub>2</sub>-,

- m<sub>1</sub> and m<sub>2</sub> are in the range from 15 to 500 and better still from 15 to 45,
- $X^1$  and  $X^2$  represent -(CH<sub>2</sub>)<sub>10</sub>-, and
- Y represents -CH<sub>2</sub>-.
- 11. (Withdrawn-Currently Amended) Composition according to Claim 2, in which the polymer comprises at least one moiety corresponding to the following formula:

$$\begin{bmatrix}
R^{1} \\
Si \\
Si
\end{bmatrix} = 0$$

$$\begin{bmatrix}
R^{2} \\
Si
\end{bmatrix} = X$$

$$U = C$$

$$\begin{bmatrix}
C \\
NH
\end{bmatrix} = Y$$

$$D$$

$$C$$

C

$$C$$

$$C$$

$$C$$

$$C$$

$$C$$

$$C$$

$$C$$

$$C$$

$$C$$

in which R<sup>1</sup>, R<sup>2</sup>, R<sup>3</sup>, R<sup>4</sup>, X, Y, m and n have the meanings given above for formula (I) in Claim 2, and U represents -O- or -NH-, such that:

corresponds to a urethane or urea group,

or

Y represents a  $C_5$  to  $C_{12}$  cycloaliphatic or aromatic group that may be substituted with a  $C_1$  to  $C_{15}$  alkyl group or a  $C_5$  to  $C_{10}$  aryl group, for example a radical chosen from the methylene-4,4-biscyclohexyl radical, the radical derived from isophorone diisocyanate, 2,4-and 2,6-tolylenes, 1,5-naphthylene, p-phenylene and 4,4'-biphenylenemethane

or

Y represents a linear or branched  $C_1$  to  $C_{40}$  alkylene radical or a  $C_4$  to  $C_{12}$  cycloalkylene radical,

or

• Application No. 10/617,048

Reply to Office Action of July 13, 2005

Y represents a polyurethane or polyurea block corresponding to the condensation of several disocyanate molecules with one or more coupling agents of the diol or diamine type, corresponding to the formula:

in which B<sup>1</sup> is a group chosen from the groups given above for Y, U is -O- or -NH- and B<sup>2</sup> is chosen from:

linear or branched  $C_1$  to  $C_{40}$  alkylene groups, which can optionally bear an ionizable group such as a carboxylic acid or sulphonic acid group, or a neutralizable or quaternizable tertiary amine group,

 $C_5$  to  $C_{12}$  cycloalkylene groups, optionally bearing alkyl substituents, for example one to three methyl or ethyl groups, or alkylene, for example the diol radical: eyclohexanedimethanol,

phenylene groups that may optionally bear  $C_1$  to  $C_3$  alkyl substituents, and groups of formula:

$$R^5$$
 —  $T$ 

in which T is a hydrocarbon-based trivalent radical possibly containing one or more hetero atoms such as oxygen, sulphur and nitrogen and  $R^5$  is a polyorganosiloxane chain or a linear or branched  $C_1$  to  $C_{50}$  alkyl chain.

12. (Withdrawn) Composition according to Claim 1, in which the structuring polymer comprises at least one moiety of formula:

· Application No. 10/617,048

Reply to Office Action of July 13, 2005

$$\begin{bmatrix}
R^{1} & & \\
Si & & O
\end{bmatrix}
\begin{bmatrix}
R^{2} & & \\
Si & & O
\end{bmatrix}$$

$$\begin{bmatrix}
R^{2} & & \\
Si & & O
\end{bmatrix}$$

$$\begin{bmatrix}
CH_{2} & & \\
U & & \\
U & & \\
CH_{2} & & \\
CH_{2$$

in which R<sup>1</sup>, R<sup>2</sup>, R<sup>3</sup>, m<sub>1</sub> and m<sub>2</sub> have the meanings given above for formula (I),

- U represents O or NH,
- $R^{23}$  represents a  $C_1$  to  $C_{40}$  alkylene group, optionally comprising one or more hetero atoms chosen from O and N, or a phenylene group, and
- $R^{24}$  is chosen from linear, branched or cyclic, saturated or unsaturated  $C_1$  to  $C_{50}$  alkyl groups, and phenyl groups optionally substituted with one to three  $C_1$  to  $C_3$  alkyl groups.
- 13. (Withdrawn) Composition according to Claim 10, in which the structuring polymer comprises at least one moiety of formula:

$$\begin{bmatrix}
CO & U & X^{1} & \begin{bmatrix} R^{11} \\ SiO \end{bmatrix} & Si & X^{1} & U & CO & NH & T & NH \\
R^{13} & M_{1} & R^{14} & & & & & & \\
R^{13} & M_{1} & R^{14} & & & & & & \\
\begin{bmatrix}
R^{15} \\ R^{15} \end{bmatrix} & Si & X^{2} & U & CO & NH
\end{bmatrix}$$

$$\begin{bmatrix}
R^{16} \\ R^{17} \end{bmatrix}_{m_{2}} & K^{18} & K^{2} & U & CO & MH$$

$$\begin{bmatrix}
R^{11} \\ R^{12} \end{bmatrix}_{m_{2}} & K^{18} & K^{2} & K^$$

in which  $X^1$  and  $X^2$ , which are identical or different, have the meaning given for X in Claim 10, n, Y and T are as defined in Claim 10,  $R^{11}$  to  $R^{18}$  are groups chosen from the same group

(XIII)

Application No. 10/617,048
 Reply to Office Action of July 13, 2005

as R<sup>1</sup> to R<sup>4</sup> of Claim 10, m<sub>1</sub> and m<sub>2</sub> are numbers in the range from 1 to 1,000, and p is an integer ranging from 2 to 500.

- 14. (Currently Amended) Composition according to Claim 1, in which the structuring polymer further comprises a hydrocarbon-based moiety comprising two groups capable of establishing hydrogen interactions, chosen from ester, amide, sulphonamide, carbamate, thiocarbamate, urea, urethane, thiourea, oxamido, guanamido and biguanidino groups, and combinations thereof.
- 15. (Currently Amended) Composition according to Claim 2, in which the structuring polymer further comprises a hydrocarbon-based moiety comprising two groups capable of establishing hydrogen interactions, chosen from ester, amide, sulphonamide, carbamate, thiocarbamate, urea, urethane, thiourea, oxamido, guanamido and biguanidino groups, and combinations thereof.
- 16. (Original) Composition according to claim1, in which the at least one structuring polymer represents from 0.5% to 80% relative to the total weight of the composition.
- 17. (Original) Composition according to claim 1, wherein said at least one structuring polymer has a softening point greater than 50°C.
- 18. (Original) Composition according to Claim 1, wherein said at least one structuring polymer has a softening point of less than 150°C.
- 19. (Original) Composition according to Claim1, wherein said at least one structuring polymer has a softening point ranging from 70°C to 130°C.
- 20. (Original) Composition according to Claim 1, wherein said at least one structuring polymer has a weight-average molecular weight ranging from 500 to 300,000.
- 21. (Original) Composition according to Claim 1, wherein said composition has a hardness ranging from 30 to 300 gf.

Application No. 10/617,048
Reply to Office Action of July 13, 2005

- 22. (Original) Composition according to Claim 1, wherein said composition has a hardness ranging 30 to 200 gf.
- 23. (Original) Composition according to claim 21, wherein said at least one oil is a hydrocarbon chosen from linear and branched, volatile and non-volatile hydrocarbons of synthetic and mineral origin.
- 24. (Original) Composition according to Claim 1, wherein said composition is in the form of a rigid gel.
- 25. (Original) Composition according to Claim 1, wherein said composition is anhydrous.
- 26. (Original) The composition according to Claim 25, wherein said structuring polymer has the following formula:

$$-\begin{bmatrix} O & O & O \\ \parallel & \parallel & \parallel \\ (CH_2)_x & CN (CH_2)_x & NC (CH_2)_x \end{bmatrix}_y \begin{bmatrix} CH_3 \\ \parallel & SiO \\ CH_3 \end{bmatrix}_z$$

where x, which may be the same or different, is from 1-100 and the ratio y/z is from 1-10.

- 27. (Withdrawn) The composition according to Claim 26, wherein said oil is a dimethicone.
- 28. (Withdrawn) The composition according to Claim 26, wherein said oil is a silicone oil.
- 29. (Withdrawn) The composition according to Claim 27, wherein said composition is in the form of a rigidified or solid gel that is reversible thermally and/or upon the application of shear.

- Application No. 10/617,048 Reply to Office Action of July 13, 2005
  - 30. (Withdrawn) The composition according to Claim 28, wherein said composition is in the form of a rigidified or solid gel that is reversible thermally and/or upon the application of shear.
    - 31. (Original) The composition according to Claim 1, further comprising a colorant.
    - 32. (Original) The composition of Claim 1, further comprising a wax.
  - 33. (Withdrawn) The composition according to Claim 1, further comprising polyethylene.
  - 34. (Withdrawn) A method comprising applying to keratin material the composition of Claim 1.
  - 35. (Original) The composition according to Claim 1, wherein said composition is in the form of an emulsion.